RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

10/078,247
OIPE
6/1/05

ENTERED



OPE

RAW SEQUENCE LISTING DATE: 06/01/2005 PATENT APPLICATION: US/10/078,247 TIME: 07:22:36

Input Set : A:\8400-0013.txt

Output Set: N:\CRF4\06012005\J078247.raw

```
3 <110> APPLICANT: Wender, Paul A.
              Rothbard, Jonathan B.
      5
              Wright, Lee
             Kreider, Erik L.
      6
             VanDeusen, Christopher L.
      9 <120> TITLE OF INVENTION: Transporters Comprising Spaced Arginine Moieties
     11 <130> FILE REFERENCE: 8400-0013
     13 <140> CURRENT APPLICATION NUMBER: US 10/078,247
     14 <141> CURRENT FILING DATE: 2002-02-14
     16 <150> PRIOR APPLICATION NUMBER: US 60/269,627
     17 <151> PRIOR FILING DATE: 2001-02-16
     19 <160> NUMBER OF SEO ID NOS: 30
     21 <170> SOFTWARE: PatentIn version 3.3
     23 <210> SEQ ID NO: 1
     24 <211> LENGTH: 9
     25 <212> TYPE: PRT
     26 <213> ORGANISM: Artificial
     28 <220> FEATURE:
     29 <223> OTHER INFORMATION: Chemically synthesized peptide
     31 <400> SEQUENCE: 1
     33 Arg Lys Lys Arg Arg Gln Arg Arg Arg
     37 <210> SEQ ID NO: 2
     38 <211> LENGTH: 8
     39 <212> TYPE: PRT
     40 <213> ORGANISM: Artificial
     42 <220> FEATURE:
     43 <223> OTHER INFORMATION: Chemically synthesized peptide
     45 <220> FEATURE:
     46 <221> NAME/KEY: MOD RES
     47 <222> LOCATION: (1)..(1)
     48 <223> OTHER INFORMATION: Xaa is aminocaproic acid
     50 <220> FEATURE:
     51 <221> NAME/KEY: MOD RES
     52 <222> LOCATION: (1)..(1)
     53 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus
     55 <220> FEATURE:
     56 <221> NAME/KEY: AMIDATION
     57 <222> LOCATION: (8)..(8)
     59 <400> SEQUENCE: 2
W--> 61 Xaa Arg Arg Arg Arg Arg Arg
     62 1
```

65 <210> SEQ ID NO: 3

DATE: 06/01/2005

```
PATENT APPLICATION: US/10/078,247
                                                            TIME: 07:22:36
                     Input Set : A:\8400-0013.txt
                     Output Set: N:\CRF4\06012005\J078247.raw
    66 <211> LENGTH: 11
    67 <212> TYPE: PRT
    68 <213> ORGANISM: Artificial
    70 <220> FEATURE:
    71 <223> OTHER INFORMATION: Chemically synthesized peptide
    73 <220> FEATURE:
    74 <221> NAME/KEY: MOD_RES
    75 <222> LOCATION: (1)..(1)
    76 <223> OTHER INFORMATION: Xaa is aminocaproic acid
    78 <220> FEATURE:
    79 <221> NAME/KEY: MOD RES
    80 <222> LOCATION: (1)..(1)
     81 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus
    83 <220> FEATURE:
     84 <221> NAME/KEY: AMIDATION
    85 <222> LOCATION: (11)..(11)
     87 <400> SEQUENCE: 3
W--> 89 Xaa Arg Arg Arg Arg Arg Arg Arg Arg Arg
     90 1
                                            10
     93 <210> SEQ ID NO: 4
     94 <211> LENGTH: 11
     95 <212> TYPE: PRT
     96 <213> ORGANISM: Artificial
     98 <220> FEATURE:
     99 <223> OTHER INFORMATION: Chemically synthesized peptide
    101 <220> FEATURE:
    102 <221> NAME/KEY: MOD_RES
     103 <222> LOCATION: (1)..(1)
     104 <223> OTHER INFORMATION: Xaa is aminocaproic acid
     106 <220> FEATURE:
     107 <221> NAME/KEY: MOD RES
     108 <222> LOCATION: (1)..(1)
     109 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus
    111 <220> FEATURE:
     112 <221> NAME/KEY: AMIDATION
     113 <222> LOCATION: (11)..(11)
     115 <400> SEQUENCE: 4
W--> 117 Xaa Arg Gly Arg Arg Gly Arg Arg Gly Arg Arg
     118 1
    121 <210> SEQ ID NO: 5
     122 <211> LENGTH: 11
     123 <212> TYPE: PRT
     124 <213> ORGANISM: Artificial
     126 <220> FEATURE:
    127 <223> OTHER INFORMATION: Chemically synthesized peptide
    129 <220> FEATURE:
    130 <221> NAME/KEY: MOD RES
     131 <222> LOCATION: (1)..(1)
    132 <223> OTHER INFORMATION: Xaa is aminocaproic acid
```

RAW SEQUENCE LISTING

DATE: 06/01/2005

TIME: 07:22:36

Input Set : A:\8400-0013.txt Output Set: N:\CRF4\06012005\J078247.raw 134 <220> FEATURE: 135 <221> NAME/KEY: MOD RES 136 <222> LOCATION: (1)..(1) 137 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus 139 <220> FEATURE: 140 <221> NAME/KEY: MOD RES 141 <222> LOCATION: (3)..(3) 142 <223> OTHER INFORMATION: Xaa is aminobutyric acid 144 <220> FEATURE: 145 <221> NAME/KEY: MOD RES 146 <222> LOCATION: (6)..(6) 147 <223> OTHER INFORMATION: Xaa is aminobutyric acid 149 <220> FEATURE: 150 <221> NAME/KEY: MOD_RES 151 <222> LOCATION: (9)..(9) 152 <223> OTHER INFORMATION: Xaa is aminobutyric acid 154 <220> FEATURE: 155 <221> NAME/KEY: AMIDATION 156 <222> LOCATION: (11)..(11) 158 <400> SEQUENCE: 5 W--> 160 Xaa Arg Xaa Arg Arg Xaa Arg Arg Xaa Arg Arg 161 1 5 164 <210> SEQ ID NO: 6 165 <211> LENGTH: 11 166 <212> TYPE: PRT 167 <213> ORGANISM: Artificial 169 <220> FEATURE: 170 <223> OTHER INFORMATION: Chemically synthesized peptide 172 <220> FEATURE: 173 <221> NAME/KEY: MOD RES 174 <222> LOCATION: (1)..(1) 175 <223> OTHER INFORMATION: Xaa is aminocaproic acid 177 <220> FEATURE: 178 <221> NAME/KEY: MOD RES 179 <222> LOCATION: (1)..(1) 180 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus 182 <220> FEATURE: 183 <221> NAME/KEY: MOD RES 184 <222> LOCATION: (3)..(3) 185 <223> OTHER INFORMATION: Xaa is aminocaproic acid 187 <220> FEATURE: 188 <221> NAME/KEY: MOD RES 189 <222> LOCATION: (6)..(6) 190 <223> OTHER INFORMATION: Xaa is aminocaproic acid 192 <220> FEATURE: 193 <221> NAME/KEY: MOD_RES 194 <222> LOCATION: (9)..(9) 195 <223> OTHER INFORMATION: Xaa is aminocaproic acid 197 <220> FEATURE:

RAW SEQUENCE LISTING

PATENT APPLICATION: US/10/078,247

```
RAW SEQUENCE LISTING
                                                             DATE: 06/01/2005
                     PATENT APPLICATION: US/10/078,247
                                                            TIME: 07:22:36
                     Input Set : A:\8400-0013.txt
                     Output Set: N:\CRF4\06012005\J078247.raw
    198 <221> NAME/KEY: AMIDATION
    199 <222> LOCATION: (11)..(11)
     201 <400> SEQUENCE: 6
W--> 203 Xaa Arg Xaa Arg Arg Xaa Arg Arg Xaa Arg Arg
    204 1
     207 <210> SEQ ID NO: 7
     208 <211> LENGTH: 11
     209 <212> TYPE: PRT
     210 <213> ORGANISM: Artificial
     212 <220> FEATURE:
     213 <223> OTHER INFORMATION: Chemically synthesized peptide
    215 <220> FEATURE:
     216 <221> NAME/KEY: MOD RES
     217 <222> LOCATION: (1)..(1)
    218 <223> OTHER INFORMATION: Xaa is aminocaproic acid
     220 <220> FEATURE:
     221 <221> NAME/KEY: MOD RES
     222 <222> LOCATION: (1)..(1)
     223 <223 > OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus
     225 <220> FEATURE:
     226 <221> NAME/KEY: AMIDATION
     227 <222> LOCATION: (11)..(11)
     229 <400> SEQUENCE: 7
W--> 231 Xaa Arg Ala Arg Arg Ala Arg Arg Ala Arg Arg
     232 1
     235 <210> SEQ ID NO: 8
     236 <211> LENGTH: 11
     237 <212> TYPE: PRT
     238 <213> ORGANISM: Artificial
    240 <220> FEATURE:
     241 <223> OTHER INFORMATION: Chemically synthesized peptide
     243 <220> FEATURE:
     244 <221> NAME/KEY: MOD RES
     245 <222> LOCATION: (1)..(1)
     246 <223> OTHER INFORMATION: Xaa is aminocaproic acid
     248 <220> FEATURE:
     249 <221> NAME/KEY: MOD RES
    250 <222> LOCATION: (1)..(1)
     251 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus
    253 <220> FEATURE:
     254 <221> NAME/KEY: AMIDATION
     255 <222> LOCATION: (11)..(11)
     257 <400> SEOUENCE: 8
W--> 259 Xaa Arg Asp Arg Arg Asp Arg Asp Arg Arg
     260 1
                                             10
    263 <210> SEQ ID NO: 9
     264 <211> LENGTH: 11
     265 <212> TYPE: PRT
     266 <213> ORGANISM: Artificial
```

DATE: 06/01/2005

```
PATENT APPLICATION: US/10/078,247
                                                            TIME: 07:22:36
                     Input Set : A:\8400-0013.txt
                     Output Set: N:\CRF4\06012005\J078247.raw
     268 <220> FEATURE:
     269 <223> OTHER INFORMATION: Chemically synthesized peptide
     271 <220> FEATURE:
     272 <221> NAME/KEY: MOD RES
     273 <222> LOCATION: (1)..(1)
     274 <223> OTHER INFORMATION: Xaa is aminocaproic acid
     276 <220> FEATURE:
     277 <221> NAME/KEY: MOD RES
     278 <222> LOCATION: (1)..(1)
     279 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus
     281 <220> FEATURE:
     282 <221> NAME/KEY: AMIDATION
     283 <222> LOCATION: (11)..(11)
     285 <400> SEQUENCE: 9
W--> 287 Xaa Arg Glu Arg Arg Glu Arg Arg Glu Arg Arg
     291 <210> SEQ ID NO: 10
    292 <211> LENGTH: 11
     293 <212> TYPE: PRT
     294 <213> ORGANISM: Artificial
     296 <220> FEATURE:
     297 <223> OTHER INFORMATION: Chemically synthesized peptide
     299 <220> FEATURE:
     300 <221> NAME/KEY: MOD RES
     301 <222> LOCATION: (1)..(1)
     302 <223> OTHER INFORMATION: Xaa is aminocaproic acid
     304 <220> FEATURE:
     305 <221> NAME/KEY: MOD RES
     306 <222> LOCATION: (1)..(1)
     307 <223> OTHER INFORMATION: fluorescein isothiocyanate modified N-terminus
     309 <220> FEATURE:
     310 <221> NAME/KEY: AMIDATION
    311 <222> LOCATION: (11) .. (11)
     313 <400> SEQUENCE: 10
W--> 315 Xaa Arg Phe Arg Arg Phe Arg Arg Phe Arg Arg
     316 1
     319 <210> SEQ ID NO: 11
     320 <211> LENGTH: 11
     321 <212> TYPE: PRT
     322 <213> ORGANISM: Artificial
    324 <220> FEATURE:
     325 <223> OTHER INFORMATION: Chemically synthesized peptide
     327 <220> FEATURE:
     328 <221> NAME/KEY: MOD RES
     329 <222> LOCATION: (1)..(1)
     330 <223> OTHER INFORMATION: Xaa is aminocaproic acid
    332 <220> FEATURE:
    333 <221> NAME/KEY: MOD_RES
     334 <222> LOCATION: (1)..(1)
```

RAW SEQUENCE LISTING

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 06/01/2005 PATENT APPLICATION: US/10/078,247 TIME: 07:22:37

Input Set : A:\8400-0013.txt

Output Set: N:\CRF4\06012005\J078247.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

```
Seq#:2; Xaa Pos. 1
Seq#:3; Xaa Pos. 1
Seq#:4; Xaa Pos. A
Seq#:5; Xaa Pos. 1,3,6,6
Seq#:6; Xaa Pos. 1,3,6,
Seq#:7; Xaa Pos. 1
Seq#:8; Xaa Pos. 1/
Seq#:9; Xaa Pos. 1
Seq#:10; Xaa Pos. 1
Seq#:11; Xaa Pos. 1
Seq#:12; Xaa Pos. 1
Seq#:13; Xaa Pos. 1
Seq#:14; Xaa Pos. 1
Seq#:15; Xaa Pos. 1
Seg#:16; Xaa Pos. 1
Seq#:17; Xaa Pos. 1
Seq#:18; Xaa Pos. 1
Seq#:19; Xaa Pos. 1
Seq#:20; Xaa Pos. 1
Seq#:21; Xaa Pos. 1
Seq#:22; Xaa Pos. 1
Seq#:23; Xaa Pos. 1,3,5,7,9
Seq#:24; Xaa Pos. 1,3,5,7,9,11
Seq#:25; Xaa Pos. 1,3,5,7,9,11,13
Seq#:26; Xaa Pos. 1
Seq#:27; Xaa Pos. 1
Seq#:30; Xaa Pos. 1
```

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete, per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27 Seq#:28,29,30

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/078,247

DATE: 06/01/2005 TIME: 07:22:37

Input Set : A:\8400-0013.txt

Output Set: N:\CRF4\06012005\J078247.raw

```
L:61 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0
L:89 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:3 after pos.:0
L:117 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:4 after pos.:0
L:160 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0
L:203 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:0
L:231 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0
L:259 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0
L:287 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:0
L:315 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:0
L:343 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:11 after pos.:0
L:371 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:12 after pos.:0
L:399 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:13 after pos.:0
L:427 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0
L:455 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:15 after pos.:0
L:483 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0
L:511 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0
L:539 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:18 after pos.:0
L:567 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0
L:595 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:20 after pos.:0
L:623 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:651 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:699 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0
L:752 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:810 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:25 after pos.:0
L:831 M:283 W: Missing Blank Line separator, <220> field identifier
L:837 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:0
L:861 M:283 W: Missing Blank Line separator, <220> field identifier
L\!:\!867 M\!:\!341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:0
L:918 M:283 W: Missing Blank Line separator, <220> field identifier
L:924 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
```